

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Alder, Mountain (<i>Alnus incana</i>) OR, 2-0, 18"+ (10)	750	0.91	1.02	1.08	1.47
Alder, Red (<i>Alnus rubra</i>) OR, 1-0, 12"+ (50)	30,000	0.63	0.68	0.91	1.25
Alder, Red (<i>Alnus rubra</i>) OR, 1-0, 6-12" (50)	10,000	0.57	0.63	0.85	1.19
Alder, Red (<i>Alnus rubra</i>) WW, 1-0, 12"+ (50)	98,050	0.63	0.68	0.91	1.25
Alder, Red (<i>Alnus rubra</i>) WW, 1-0, 6-12" (50)	39,450	0.57	0.63	0.85	1.19
Alder, Sitka (<i>Alnus viridis</i> ssp <i>sinuata</i>) OR, 2-0, 18"+ (10)	7,700	0.91	1.02	1.08	1.47
Alder, White (<i>Alnus rhombifolia</i>) OR, 2-0, 18"+ (10)	2,950	0.91	1.02	1.08	1.47
Aspen, Quaking (<i>Populus tremuloides</i>) EW, 1-0, 12"+ (50)	germinating	0.68	0.74	0.97	1.31
Birch, Paper (<i>Betula papyrifera</i>) WW, 2-0, 18"+ (10)	32,700	0.91	1.02	1.08	1.47
Blackberry, Trailing (<i>Rubus ursinus</i>) WW, 1-0, 6"+ (50)	12,700	0.68	0.74	0.97	1.31
Buffaloberry, Russet (<i>Shepherdia canadensis</i>) EW, 1-0, 12"+ (50)	2,700	0.74	0.79	1.02	1.36
Buffaloberry, Silver (<i>Shepherdia argentea</i>) EW, 2-0, 12"+ (10)	3,800	0.91	1.02	1.08	1.47
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) OR, 1-0, 12"+ (50)	2,500	0.68	0.74	0.97	1.31
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) OR, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) WW, 1-0, 12"+ (50)	28,600	0.68	0.74	0.97	1.31
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) WW, 1-0, 6-12" (50)	4,900	0.63	0.68	0.91	1.25
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) WW, 2-0, 18"+ (10)	16,700	0.91	1.02	1.08	1.47
Ceanothus, Red Stem (<i>Ceanothus sanguineus</i>) EW, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Ceanothus, Red Stem (<i>Ceanothus sanguineus</i>) EW, 2-0, 18"+ (10)	1,500	0.91	1.02	1.08	1.47
Cherry, Bitter (<i>Prunus emarginata</i>) WW, 1-0, 12"+ (10)	sold out	0.68	0.74	0.97	1.31
Chokecherry (<i>Prunus virginiana</i>) EW, 1-0, 12"+ (50)	16,900	0.68	0.74	0.97	1.31
Chokecherry (<i>Prunus virginiana</i>) WW, 1-0, 12"+ (50)	2,200	0.68	0.74	0.97	1.31
Cottonwood, Black (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) WW, 1-0, 12"+ (50)	germinating	0.63	0.68	0.91	1.25
Crabapple, Pacific (<i>Malus fusca</i>) OR, 1-0, 12"+ (50)	17,000	0.68	0.74	0.97	1.31
Crabapple, Pacific (<i>Malus fusca</i>) OR, 1-0, 6-12" (50)	200	0.63	0.68	0.91	1.25
Crabapple, Pacific (<i>Malus fusca</i>) WW, 1-0, 12"+ (50)	98,750	0.68	0.74	0.97	1.31
Crabapple, Pacific (<i>Malus fusca</i>) WW, 1-0, 6-12" (50)	9,150	0.63	0.68	0.91	1.25
Currant, Golden (<i>Ribes aureum</i>) EW, 1-0, 12"+ (50)	29,800	0.74	0.79	1.02	1.36
Currant, Golden (<i>Ribes aureum</i>) EW, 1-0, 6-12" (50)	6,000	0.68	0.74	0.97	1.31
Currant, Golden (<i>Ribes aureum</i>) OR, 1-0, 12"+ (50)	24,050	0.74	0.79	1.02	1.36
Currant, Golden (<i>Ribes aureum</i>) OR, 1-0, 6-12" (50)	9,000	0.68	0.74	0.97	1.31
Currant, Red Flowering (<i>Ribes sanguineum</i>) WW, 1-0, 12"+ (10)	118,300	0.68	0.74	0.97	1.31
Dogwood, Pacific (<i>Cornus nuttallii</i>) WW, 1-0, 12"+ (50)	4,100	0.74	0.79	1.02	1.36

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

July 13, 2017

NEW - pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 12"+ (50)	28,000	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) EW, 1-0, 12"+ (50)	9,750	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) OR, 1-0, 12"+ (50)	14,500	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) WW, 1-0, 12"+ (50)	18,000	0.68	0.74	0.97	1.31
Elderberry, Red (<i>Sambucus racemosa</i>) OR, 1-0, 12"+ (50)	20,000	0.68	0.74	0.97	1.31
Elderberry, Red (<i>Sambucus racemosa</i>) WW, 1-0, 12"+ (50)	29,500	0.68	0.74	0.97	1.31
Hackberry, Netleaf (<i>Celtis laevigata</i> var. <i>reticulata</i>) OR, 1-0, 12"+ (50)	1,000	0.74	0.79	1.02	1.36
Hackberry, Netleaf (<i>Celtis laevigata</i> var <i>reticulata</i>) OR, 1-0, 6-12" (50)	300	0.68	0.74	0.97	1.31
Hawthorn, Black (<i>Crataegus douglasii</i>) OR, 1-0, 12"+ (50)	8,500	0.68	0.74	0.97	1.31
Hawthorn, Black (<i>Crataegus douglasii</i>) WW, 1-0, 12"+ (50)	29,300	0.68	0.74	0.97	1.31
Indian Plum (<i>Oemleria cerasiformis</i>) OR, 1-0, 12+ (50)	1,000	0.68	0.74	0.97	1.31
Indian Plum (<i>Oemleria cerasiformis</i>) OR, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Indian Plum (<i>Oemleria cerasiformis</i>) WW, 1-0, 12+ (50)	76,250	0.68	0.74	0.97	1.31
Indian Plum (<i>Oemleria cerasiformis</i>) WW, 1-0, 6-12" (50)	18,950	0.63	0.68	0.91	1.25
Maple, Big Leaf (<i>Acer macrophyllum</i>) WW, 1-0, 18"+ (10)	19,350	0.74	0.79	1.02	1.36
Maple, Big Leaf (<i>Acer macrophyllum</i>) WW, 1-0, 6-18" (10)	8,700	0.68	0.74	0.97	1.31
Maple, Rocky Mt. (<i>Acer glabrum</i>) OR, 1-0, 12"+ (50)	1,950	0.68	0.74	0.97	1.31
Maple, Rocky Mt. (<i>Acer glabrum</i>) WW, 1-0, 12"+ (50)	3,500	0.68	0.74	0.97	1.31
Maple, Vine (<i>Acer circinatum</i>) WW, 1-0, 12"+ (50)	500	0.68	0.74	0.97	1.31
Mock Orange (<i>Philadelphus lewisii</i>) EW, 2-0, 12"+ (10)	21,700	0.91	1.02	1.08	1.47
Mock Orange (<i>Philadelphus lewisii</i>) OR, 2-0, 12"+ (10)	15,000	0.91	1.02	1.08	1.47
Mock Orange (<i>Philadelphus lewisii</i>) WW, 2-0, 12"+ (10)	9,100	0.91	1.02	1.08	1.47
Ninebark, Pacific (<i>Physocarpus capitatus</i>) WW, 1-0, 12"+ (50)	97,000	0.68	0.74	0.97	1.31
Ninebark, Pacific (<i>Physocarpus capitatus</i>) WW, 1-0, 6-12" (50)	15,000	0.63	0.68	0.91	1.25
Oak, Oregon White (<i>Quercus garryana</i>) OR, 2-0, 12"+ (10)	1,900	0.91	1.02	1.08	1.47
Oak, Oregon White (<i>Quercus garryana</i>) WW, 2-0, 12"+ (10)	6,800	0.91	1.02	1.08	1.47
Oceanspray (<i>Holodiscus discolor</i>) WW, 1-0, 12"+ (50)	sold out	0.68	0.74	0.97	1.31
Oregon Ash (<i>Fraxinus latifolia</i>) OR 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Oregon Ash (<i>Fraxinus latifolia</i>) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25
Oregon Ash (<i>Fraxinus latifolia</i>) WW 1-0, 12"+ (50)	9,500	0.68	0.74	0.97	1.31
Oregon Ash (<i>Fraxinus latifolia</i>) WW, 1-0, 6-12" (50)	1,850	0.63	0.68	0.91	1.25

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

July 13, 2017

NEW - pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Oregon Ash (<i>Fraxinus latifolia</i>) OR, 2-0, 18"+ (10)	7,000	0.91	1.02	1.08	1.47
Oregon Ash (<i>Fraxinus latifolia</i>) WW, 2-0, 18"+ (10)	3,200	0.91	1.03	1.08	1.47
Oregon Grape, Low (<i>Mahonia nervosa</i>) WW, 1-0, 6"+ (50)	2,800	0.74	0.79	1.02	1.36
Oregon Grape, Low (<i>Mahonia nervosa</i>) WW, 1-0, 3-6" (50)	5,500	0.68	0.74	0.97	1.31
Oregon Grape, Low (<i>Mahonia nervosa</i>) WW, 2-0, 6"+ (10)	4,520	0.91	1.02	1.08	1.47
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW 1-0, 12"+ (50)	5,000	0.68	0.74	0.97	1.31
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW, 1-0, 6-12" (50)	4,000	0.63	0.68	0.91	1.25
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) OR 1-0, 12"+ (50)	5,000	0.68	0.74	0.97	1.31
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW 1-0, 12"+ (50)	49,000	0.68	0.74	0.97	1.31
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 1-0, 6-12" (50)	9,600	0.63	0.68	0.91	1.25
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW, 2-0, 12"+ (10)	100	0.91	1.02	1.08	1.47
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 2-0, 12"+ (10)	26,350	0.91	1.02	1.08	1.47
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 2-0, 6-12" (10)	5,000	0.85	0.97	1.02	1.42
Rose, Baldhip (<i>Rosa gymnocarpa</i>) OR, 1-0, 12"+ (50)	13,500	0.74	0.79	1.02	1.36
Rose, Baldhip (<i>Rosa gymnocarpa</i>) WW, 1-0, 12"+ (50)	42,000	0.74	0.79	1.02	1.36
Rose, Nootka (<i>Rosa nutkana</i>) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Rose, Nootka (<i>Rosa nutkana</i>) WW, 1-0, 12"+ (50)	36,800	0.68	0.74	0.97	1.31
Rose, Peafruit (<i>Rosa pisocarpa</i>) OR, 1-0, 12"+ (50)	12,000	0.68	0.74	0.97	1.31
Rose, Peafruit (<i>Rosa pisocarpa</i>) WW, 1-0, 12"+ (50)	48,900	0.68	0.74	0.97	1.31
Rose, Peafruit (<i>Rosa pisocarpa</i>) WW, 1-0, 6-12", (50)	9,550	0.63	0.68	0.91	1.25
Rose, Rugosa (<i>Rosa rugosa</i>) EW, 1-0, 12"+ (50)	4,000	0.68	0.74	0.97	1.31
Rose, Rugosa (<i>Rosa rugosa</i>) EW, 1-0, 6-12" (50)	1,000	0.63	0.68	0.91	1.25
Rose, Woods (<i>Rosa woodsii</i>) EW, 1-0, 12"+ (50)	44,900	0.68	0.74	0.97	1.31
Rose, Woods (<i>Rosa woodsii</i>) EW, 1-0, 6-12" (50)	5,000	0.63	0.68	0.91	1.25
Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 6-12" (50)	10,000	0.63	0.68	0.91	1.25
Salmonberry (<i>Rubus spectabilis</i>) WW, 1-0, 12"+ (50)	15,400	0.68	0.74	0.97	1.31
Salmonberry (<i>Rubus spectabilis</i>) WW, 1-0, 6-12" (50)	3,850	0.63	0.68	0.91	1.25
Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 12"+ (50)	34,800	0.68	0.74	0.97	1.31
Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 6-12" (50)	4,000	0.63	0.68	0.91	1.25
Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 12"+ (50)	10,000	0.68	0.74	0.97	1.31
Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Serviceberry (Amelanchier alnifolia) WW, 1-0, 12"+ (50)	97,800	0.68	0.74	0.97	1.31
Serviceberry (Amelanchier alnifolia) WW, 1-0, 6-12" (50)	18,000	0.63	0.68	0.91	1.25
Silk Tassel (Garrya elliptica) OR, 1-0, 12"+ (50)	1,800	0.68	0.74	0.97	1.31
Snowberry, Common (Symphoricarpos albus) WW, 1-0, 12-18" (50) BROKERED	2,000	0.68	0.74	0.97	1.31
Spirea, Douglas (Spiraea douglasii) WW, 2-0, 18"+ (10)	14,630	0.91	1.02	1.08	1.47
Thimbleberry (Rubus parviflorus) OR, 1-0, 12"+ (50)	25,000	0.68	0.74	0.97	1.31
Thimbleberry (Rubus parviflorus) OR, 1-0, 6-12" (50)	1,000	0.63	0.68	0.91	1.25
Thimbleberry (Rubus parviflorus) WW, 1-0, 12"+ (50)	99,750	0.60	0.74	0.97	1.31
Thimbleberry (Rubus parviflorus) WW, 1-0, 6-12" (50)	25,000	0.63	0.68	0.91	1.25
Twinberry (Lonicera involucrata) WW, 1-0, 12"+ (50)	49,300	0.68	0.74	0.97	1.31
Twinberry (Lonicera involucrata) WW, 1-0, 6-12" (50)	4,000	0.63	0.68	0.91	1.25
Viburnum, American Cranberry (Viburnum opulus americanum) WW, 1-0, 6-12" (50)	9,000	0.68	0.74	0.97	1.31

EASTERN WASHINGTON WILLOWS (bundles of 100)	Available	1000+	500+	100+	<100
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) EW, 36" cutting	6,800	0.68	0.74	0.85	N/A
Dogwood, Red Osier (Cornus sericea, C. stolonifera) EW, 36" cutting	10,000	0.68	0.74	0.85	N/A
Willow, Coyote (Salix exigua) EW, 36" cutting	22,000	0.68	0.74	0.85	N/A
Willow, Drummond (Salix drummondiana) EW, 36" cutting	14,000	0.68	0.74	0.85	N/A
Willow, MacKenzie (Salix prolixa, S rigida mackenzieana) EW, 36" cutting	33,900	0.68	0.74	0.85	N/A
Willow, Pacific (Salix lucida ssp. lasiandra) EW, 36" cutting	19,000	0.68	0.74	0.85	N/A
Willow, Peachleaf (Salix amygdaloides) EW, 36" cutting	9,800	0.68	0.74	0.85	N/A
Willow, Yellow (Salix lutea) Lincoln County, 36" cutting	800	0.68	0.74	0.85	N/A

WESTERN WASHINGTON WILLOWS (bundles of 100)	Available	1000+	500+	100+	<100
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) Skagit WW, 36" cutting	9,000	0.68	0.74	0.85	N/A
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) Thurston WW, 36" cutting	20,000	0.68	0.74	0.85	N/A
Dogwood, Red Osier (Cornus sericea, C. stolonifera) WW, 36" cutting	19,400	0.68	0.74	0.85	N/A
Twinberry (Lonicera involucrata) WW, 36" cutting	2,800	0.68	0.74	0.85	N/A
Willow, Hooker (Salix hookeriana) WW, 36" cutting	55,700	0.68	0.74	0.85	N/A
Willow, Pacific (Salix lucida ssp. lasiandra) WW, 36" cutting	16,000	0.68	0.74	0.85	N/A
Willow, Scouler (Salix scouleriana) WW, 36" cutting	16,800	0.68	0.74	0.85	N/A
Willow, Sitka (Salix sitchensis) WW, 36" cutting	37,000	0.68	0.74	0.85	N/A

CONIFERS	Available	1000+	500+	100+	<100
Alaska Yellow Cedar (<i>Chamaecyparis nootkatensis</i> [Callitropsis]) BC, P-1, 12" (25)	8,600	0.79	0.85	1.02	1.25
Austrian Pine (<i>Pinus nigra</i>) 2-0, 12"+ (25)	125	0.37	0.43	0.57	0.74
Colorado Blue Spruce (<i>Picea pungens</i>) CO, 2-0, 12"+ (25)	1,000	0.37	0.43	0.57	0.74
Colorado Blue Spruce (<i>Picea pungens</i>) CO, 2-0, 6-12" (25)	4,300	0.32	0.37	0.52	0.68
Concolor Fir (<i>Abies concolor</i>) CO, 2-0, 12"+ (25)	500	0.37	0.43	0.57	0.74
Concolor Fir (<i>Abies concolor</i>) CO, 2-0, 6-12" (25)	850	0.32	0.37	0.52	0.68
Douglas Fir (<i>Pseudotsuga menziesii</i>) 412-1.5, 2-0, 12"+ (25)	20,500	0.37	0.43	0.57	0.74
Douglas Fir (<i>Pseudotsuga menziesii</i>) 440-1.0, 2-0, 12"+ (25)	20,600	0.37	0.43	0.57	0.74
Grand Fir (<i>Abies grandis</i>) BC, 2-0, 12"+ (25)	3,500	0.37	0.43	0.57	0.74
Western Hemlock (<i>Tsuga heterophylla</i>) 401-2.0, P-1, 12"+ (25)	9,350	0.63	0.68	0.85	1.08
Western Hemlock (<i>Tsuga heterophylla</i>) 422-1.0, (F) P-1, 12"+ (25)	375	0.63	0.68	0.85	1.08
Western Hemlock (<i>Tsuga heterophylla</i>) 422-1.5, (S) P-1, 12"+ (25)	7,800	0.63	0.68	0.85	1.08
Western Hemlock (<i>Tsuga heterophylla</i>) R08217, P-1, 12"+ (25)	2,700	0.63	0.68	0.85	1.08
Noble Fir (<i>Abies procera</i>) 412-3.5, P-1, 12"+ (25)	3,500	0.63	0.68	0.85	1.08
Noble Fir (<i>Abies procera</i>) 412-3.5, P-1, 6-12" (25)	2,100	0.57	0.63	0.79	1.02
Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.35, 2-0, 12"+ (25)	41,000	0.37	0.43	0.57	0.74
Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.35, 2-0, 6-12" (25)	2,000	0.32	0.37	0.52	0.68
Scots Pine (<i>Pinus sylvestris</i>) 2-0, 12"+ (25)	4,500	0.37	0.43	0.57	0.74
Scots Pine (<i>Pinus sylvestris</i>) 2-0, 6-12" (25)	3,000	0.32	0.37	0.52	0.68
Shore Pine (<i>Pinus contorta</i> v <i>contorta</i>) 221-0.5, 2-0, 12"+ (25)	3,500	0.37	0.43	0.57	0.74
Sitka Spruce (<i>Picea sitchensis</i>) 012-1.0, 2-0, 12"+ (25)	1,250	0.37	0.43	0.57	0.74
Sitka Spruce (<i>Picea sitchensis</i>) 422-1.5, 2-0, 12"+ (25)	19,000	0.37	0.43	0.57	0.74
Sitka Spruce (<i>Picea sitchensis</i>) 412-2.0, P-1, 12"+ (25)	1,200	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 201-0.5, P-1, 12"+ (25) (FR)	2,600	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 201-0.5, P-1, 12"+ (25) (S)	22,000	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 231-0.5, P-1, 12"+ (25)	1,150	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 403-1.0, P-1, 12"+ (25) (FR)	1,250	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 403-0.5, P-1, 12"+ (25) (S)	1,200	0.63	0.68	0.85	1.08
Western Red Cedar (<i>Thuja plicata</i>) 652-2.0, P-1, 12"+ (25)	3,850	0.63	0.68	0.85	1.08
Western Larch (<i>Larix occidentalis</i>) 830-2.5, P-1, 12"+ (25)	4,650	0.63	0.68	0.85	1.08
B-Evergreen Huckleberry (<i>Vaccinium ovatum</i>) 77p (N-10)	50	2.17	2.82	3.67	4.95

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

July 13, 2017

NEW - pmcsales@gmx.com

Seed Source

012 - Western Jefferson / Clallam Counties
030 - Grays Harbor County
042 - Clark County / Portland
053 - Northwest Oregon Coast
201 - Western Whatcom County
202 - Western Skagit/Snohomish County
221 - Eastern Jefferson / Clallam County
231 - Mason / South Kitsap Counties
401 - Whatcom County foothills
402 - Eastern Whatcom/Skagit Counties
403 - Eastern Skagit County
412 - King County
422 - SE Pierce County
440 - Cowlitz/W Skamania Counties
612 - NE Okanogan County
652 - E Skamania County
830 - Spokane County
BC - SW British Columbia, Canada
Moscow - Moscow, Idaho
R08217 - Whatcom/Skagit/Snohomish orchard

Elevation

0.5 - 0-500' Elevation
1.0 - 500-1,000' Elevation
1.5 - 1,000-1,500 Elevation
2.0 - 1,500-2,000' Elevation
3.5 - 3,000-3,500' Elevation
5.0 - 4,500-5,000' Elevation

Seed Zone Map - http://www.dnr.wa.gov/Publications/lm_wfn_seedzone_book.pdf