

<b>HARDWOOD AND SHRUBS</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Alder, Mountain ( <i>Alnus incana</i> ) OR, 2-0, 18"+ (10)	750	0.91	1.02	1.08	1.47
Alder, Red ( <i>Alnus rubra</i> ) OR, 1-0, 12"+ (50)	25,000	0.63	0.68	0.91	1.25
Alder, Red ( <i>Alnus rubra</i> ) OR, 1-0, 6-12" (50)	10,000	0.57	0.63	0.85	1.19
Alder, Red ( <i>Alnus rubra</i> ) WW, 1-0, 12"+ (50)	97,550	0.63	0.68	0.91	1.25
Alder, Red ( <i>Alnus rubra</i> ) WW, 1-0, 6-12" (50)	39,450	0.57	0.63	0.85	1.19
Alder, Sitka ( <i>Alnus viridis</i> ssp <i>sinuata</i> ) OR, 2-0, 18"+ (10)	7,700	0.91	1.02	1.08	1.47
Alder, White ( <i>Alnus rhombifolia</i> ) OR, 2-0, 18"+ (10)	2,950	0.91	1.02	1.08	1.47
Aspen, Quaking ( <i>Populus tremuloides</i> ) EW, 1-0, 12"+ (50)	7,950	0.68	0.74	0.97	1.31
Birch, Paper ( <i>Betula papyrifera</i> ) WW, 2-0, 18"+ (10)	31,800	0.91	1.02	1.08	1.47
Blackberry, Trailing ( <i>Rubus ursinus</i> ) WW, 1-0, 6"+ (50)	15,000	0.68	0.74	0.97	1.31
Buffaloberry, Russet ( <i>Shepherdia canadensis</i> ) EW, 1-0, 12"+ (50)	2,700	0.74	0.79	1.02	1.36
Buffaloberry, Silver ( <i>Shepherdia argentea</i> ) EW, 2-0, 12"+ (10)	3,800	0.91	1.02	1.08	1.47
Cascara ( <i>Rhamnus</i> [ <i>Frangula</i> ] <i>purshiana</i> ) OR, 1-0, 12"+ (50)	2,500	0.68	0.74	0.97	1.31
Cascara ( <i>Rhamnus</i> [ <i>Frangula</i> ] <i>purshiana</i> ) OR, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Cascara ( <i>Rhamnus</i> [ <i>Frangula</i> ] <i>purshiana</i> ) WW, 1-0, 12"+ (50)	27,100	0.68	0.74	0.97	1.31
Cascara ( <i>Rhamnus</i> [ <i>Frangula</i> ] <i>purshiana</i> ) WW, 1-0, 6-12" (50)	4,900	0.63	0.68	0.91	1.25
Cascara ( <i>Rhamnus</i> [ <i>Frangula</i> ] <i>purshiana</i> ) WW, 2-0, 18"+ (10)	16,700	0.91	1.02	1.08	1.47
Ceanothus, Red Stem ( <i>Ceanothus sanguineus</i> ) EW, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Ceanothus, Red Stem ( <i>Ceanothus sanguineus</i> ) EW, 2-0, 18"+ (10)	1,500	0.91	1.02	1.08	1.47
Chokecherry ( <i>Prunus virginiana</i> ) EW, 1-0, 12"+ (50)	16,150	0.68	0.74	0.97	1.31
Chokecherry ( <i>Prunus virginiana</i> ) WW, 1-0, 12"+ (50)	2,200	0.68	0.74	0.97	1.31
Cottonwood, Black ( <i>Populus balsamifera</i> ssp. <i>trichocarpa</i> ) WW, 1-0, 12"+ (50)	10,700	0.63	0.68	0.91	1.25
Crabapple, Pacific ( <i>Malus fusca</i> ) OR, 1-0, 12"+ (50)	17,000	0.68	0.74	0.97	1.31
Crabapple, Pacific ( <i>Malus fusca</i> ) OR, 1-0, 6-12" (50)	200	0.63	0.68	0.91	1.25
Crabapple, Pacific ( <i>Malus fusca</i> ) WW, 1-0, 12"+ (50)	98,050	0.68	0.74	0.97	1.31
Crabapple, Pacific ( <i>Malus fusca</i> ) WW, 1-0, 6-12" (50)	9,150	0.63	0.68	0.91	1.25
Currant, Golden ( <i>Ribes aureum</i> ) EW, 1-0, 12"+ (50)	29,050	0.74	0.79	1.02	1.36
Currant, Golden ( <i>Ribes aureum</i> ) EW, 1-0, 6-12" (50)	5,850	0.68	0.74	0.97	1.31
Currant, Golden ( <i>Ribes aureum</i> ) OR, 1-0, 12"+ (50)	23,650	0.74	0.79	1.02	1.36
Currant, Golden ( <i>Ribes aureum</i> ) OR, 1-0, 6-12" (50)	9,000	0.68	0.74	0.97	1.31
Currant, Red Flowering ( <i>Ribes sanguineum</i> ) WW, 1-0, 12"+ (10)	117,270	0.68	0.74	0.97	1.31
Dogwood, Pacific ( <i>Cornus nuttallii</i> ) WW, 1-0, 12"+ (50)	3,950	0.74	0.79	1.02	1.36
Dogwood, Red Osier ( <i>Cornus sericea</i> , <i>C. stolonifera</i> ) EW, 1-0, 12"+ (50)	13,100	0.68	0.74	0.97	1.31

<b>HARDWOOD AND SHRUBS</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Dogwood, Red Osier ( <i>Cornus sericea</i> , <i>C. stolonifera</i> ) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Dogwood, Red Osier ( <i>Cornus sericea</i> , <i>C. stolonifera</i> ) WW, 1-0, 12"+ (50)	26,350	0.68	0.74	0.97	1.31
Elderberry, Blue ( <i>Sambucus nigra</i> ssp <i>cerulea</i> ) EW, 1-0, 12"+ (50)	8,950	0.68	0.74	0.97	1.31
Elderberry, Blue ( <i>Sambucus nigra</i> ssp <i>cerulea</i> ) OR, 1-0, 12"+ (50)	14,500	0.68	0.74	0.97	1.31
Elderberry, Blue ( <i>Sambucus nigra</i> ssp <i>cerulea</i> ) WW, 1-0, 12"+ (50)	28,550	0.68	0.74	0.97	1.31
Elderberry, Red ( <i>Sambucus racemosa</i> ) OR, 1-0, 12"+ (50)	20,000	0.68	0.74	0.97	1.31
Elderberry, Red ( <i>Sambucus racemosa</i> ) WW, 1-0, 12"+ (50)	29,500	0.68	0.74	0.97	1.31
Hackberry, Netleaf ( <i>Celtis laevigata</i> var. <i>reticulata</i> ) OR, 1-0, 12"+ (50)	250	0.74	0.79	1.02	1.36
Hackberry, Netleaf ( <i>Celtis laevigata</i> var <i>reticulata</i> ) OR, 1-0, 6-12" (50)	300	0.68	0.74	0.97	1.31
Hawthorn, Black ( <i>Crataegus douglasii</i> ) OR, 1-0, 12"+ (50)	8,500	0.68	0.74	0.97	1.31
Hawthorn, Black ( <i>Crataegus douglasii</i> ) WW, 1-0, 12"+ (50)	29,650	0.68	0.74	0.97	1.31
Indian Plum ( <i>Oemleria cerasiformis</i> ) OR, 1-0, 12+ (50)	1,000	0.68	0.74	0.97	1.31
Indian Plum ( <i>Oemleria cerasiformis</i> ) OR, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Indian Plum ( <i>Oemleria cerasiformis</i> ) WW, 1-0, 12+ (50)	77,450	0.68	0.74	0.97	1.31
Indian Plum ( <i>Oemleria cerasiformis</i> ) WW, 1-0, 6-12" (50)	17,100	0.63	0.68	0.91	1.25
Maple, Big Leaf ( <i>Acer macrophyllum</i> ) WW, 1-0, 18"+ (10)	18,550	0.74	0.79	1.02	1.36
Maple, Big Leaf ( <i>Acer macrophyllum</i> ) WW, 1-0, 6-18" (10)	9,350	0.68	0.74	0.97	1.31
Maple, Rocky Mt. ( <i>Acer glabrum</i> ) OR, 1-0, 12"+ (50)	1,950	0.68	0.74	0.97	1.31
Maple, Rocky Mt. ( <i>Acer glabrum</i> ) WW, 1-0, 12"+ (50)	3,300	0.68	0.74	0.97	1.31
Maple, Vine ( <i>Acer circinatum</i> ) EW, 1-0, 12"+ (50)	500	0.68	0.74	0.97	1.31
Maple, Vine ( <i>Acer circinatum</i> ) EW, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Maple, Vine ( <i>Acer circinatum</i> ) WW, 1-0, 12"+ (50)	200	0.68	0.74	0.97	1.31
Mock Orange ( <i>Philadelphus lewisii</i> ) EW, 2-0, 12"+ (10)	20,800	0.91	1.02	1.08	1.47
Mock Orange ( <i>Philadelphus lewisii</i> ) OR, 2-0, 12"+ (10)	15,000	0.91	1.02	1.08	1.47
Mock Orange ( <i>Philadelphus lewisii</i> ) WW, 2-0, 12"+ (10)	8,700	0.91	1.02	1.08	1.47
Ninebark, Pacific ( <i>Physocarpus capitatus</i> ) WW, 1-0, 12"+ (50)	97,750	0.68	0.74	0.97	1.31
Ninebark, Pacific ( <i>Physocarpus capitatus</i> ) WW, 1-0, 6-12" (50)	18,050	0.63	0.68	0.91	1.25
Oak, Oregon White ( <i>Quercus garryana</i> ) OR, 2-0, 12"+ (10)	1,870	0.91	1.02	1.08	1.47
Oak, Oregon White ( <i>Quercus garryana</i> ) WW, 2-0, 12"+ (10)	6,450	0.91	1.02	1.08	1.47
Oceanspray ( <i>Holodiscus discolor</i> ) WW, 1-0, 12"+ (50)	450	0.68	0.74	0.97	1.31
Oregon Ash ( <i>Fraxinus latifolia</i> ) OR 1-0, 12"+ (50)	13,100	0.68	0.74	0.97	1.31
Oregon Ash ( <i>Fraxinus latifolia</i> ) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25
Oregon Ash ( <i>Fraxinus latifolia</i> ) WW 1-0, 12"+ (50)	9,500	0.68	0.74	0.97	1.31

<b>HARDWOOD AND SHRUBS</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Oregon Ash ( <i>Fraxinus latifolia</i> ) WW, 1-0, 6-12" (50)	1,850	0.63	0.68	0.91	1.25
Oregon Ash ( <i>Fraxinus latifolia</i> ) OR, 2-0, 18"+ (10)	6,990	0.91	1.02	1.08	1.47
Oregon Ash ( <i>Fraxinus latifolia</i> ) WW, 2-0, 18"+ (10)	3,420	0.91	1.03	1.08	1.47
Oregon Grape, Low ( <i>Mahonia nervosa</i> ) WW, 1-0, 6"+ (50)	1,600	0.74	0.79	1.02	1.36
Oregon Grape, Low ( <i>Mahonia nervosa</i> ) WW, 1-0, 3-6" (50)	4,500	0.68	0.74	0.97	1.31
Oregon Grape, Low ( <i>Mahonia nervosa</i> ) WW, 2-0, 6"+ (10)	3,520	0.91	1.02	1.08	1.47
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) EW 1-0, 12"+ (50)	5,000	0.68	0.74	0.97	1.31
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) EW, 1-0, 6-12" (50)	4,000	0.63	0.68	0.91	1.25
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) OR 1-0, 12"+ (50)	5,000	0.68	0.74	0.97	1.31
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) WW 1-0, 12"+ (50)	48,850	0.68	0.74	0.97	1.31
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) WW, 1-0, 6-12" (50)	9,600	0.63	0.68	0.91	1.25
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) EW, 2-0, 12"+ (10)	70	0.91	1.02	1.08	1.47
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) WW, 2-0, 12"+ (10)	25,650	0.91	1.02	1.08	1.47
Oregon Grape, Tall ( <i>Mahonia aquifolium</i> ) WW, 2-0, 6-12" (10)	5,000	0.85	0.97	1.02	1.42
Rose, Baldhip ( <i>Rosa gymnocarpa</i> ) OR, 1-0, 12"+ (50)	13,600	0.74	0.79	1.02	1.36
Rose, Baldhip ( <i>Rosa gymnocarpa</i> ) WW, 1-0, 12"+ (50)	40,500	0.74	0.79	1.02	1.36
Rose, Nootka ( <i>Rosa nutkana</i> ) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Rose, Nootka ( <i>Rosa nutkana</i> ) WW, 1-0, 12"+ (50)	35,550	0.68	0.74	0.97	1.31
Rose, Peafruit ( <i>Rosa pisocarpa</i> ) OR, 1-0, 12"+ (50)	11,900	0.68	0.74	0.97	1.31
Rose, Peafruit ( <i>Rosa pisocarpa</i> ) WW, 1-0, 12"+ (50)	48,400	0.68	0.74	0.97	1.31
Rose, Peafruit ( <i>Rosa pisocarpa</i> ) WW, 1-0, 6-12", (50)	9,550	0.63	0.68	0.91	1.25
Rose, Rugosa ( <i>Rosa rugosa</i> ) EW, 1-0, 12"+ (50)	3,250	0.68	0.74	0.97	1.31
Rose, Rugosa ( <i>Rosa rugosa</i> ) EW, 1-0, 6-12" (50)	1,000	0.63	0.68	0.91	1.25
Rose, Woods ( <i>Rosa woodsii</i> ) EW, 1-0, 12"+ (50)	44,850	0.68	0.74	0.97	1.31
Rose, Woods ( <i>Rosa woodsii</i> ) EW, 1-0, 6-12" (50)	5,000	0.63	0.68	0.91	1.25
Salmonberry ( <i>Rubus spectabilis</i> ) OR, 1-0, 12"+ (50)	14,000	0.68	0.74	0.97	1.31
Salmonberry ( <i>Rubus spectabilis</i> ) OR, 1-0, 6-12" (50)	10,000	0.63	0.68	0.91	1.25
Salmonberry ( <i>Rubus spectabilis</i> ) WW, 1-0, 12"+ (50)	18,300	0.68	0.74	0.97	1.31
Salmonberry ( <i>Rubus spectabilis</i> ) WW, 1-0, 6-12" (50)	3,850	0.63	0.68	0.91	1.25
Serviceberry ( <i>Amelanchier alnifolia</i> ) EW, 1-0, 12"+ (50)	34,000	0.68	0.74	0.97	1.31
Serviceberry ( <i>Amelanchier alnifolia</i> ) EW, 1-0, 6-12" (50)	4,000	0.63	0.68	0.91	1.25
Serviceberry ( <i>Amelanchier alnifolia</i> ) OR, 1-0, 12"+ (50)	10,000	0.68	0.74	0.97	1.31

<b>HARDWOOD AND SHRUBS</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Serviceberry (Amelanchier alnifolia) OR, 1-0, 6-12" (50)	3,000	0.63	0.68	0.91	1.25
Serviceberry (Amelanchier alnifolia) WW, 1-0, 12"+ (50)	97,500	0.68	0.74	0.97	1.31
Serviceberry (Amelanchier alnifolia) WW, 1-0, 6-12" (50)	17,950	0.63	0.68	0.91	1.25
Silk Tassel (Garrya elliptica) OR, 1-0, 12"+ (50)	1,800	0.68	0.74	0.97	1.31
Snowberry, Common (Symphoricarpos albus) EW, 1-0, 12"+ (50)	150	0.68	0.74	0.97	1.31
Snowberry, Common (Symphoricarpos albus) WW, 1-0, 12"+ (50)	2,450	0.68	0.74	0.97	1.31
Spirea, Douglas (Spiraea douglasii) WW, 2-0, 18"+ (10)	13,800	0.91	1.02	1.08	1.47
Thimbleberry (Rubus parviflorus) OR, 1-0, 12"+ (50)	25,000	0.68	0.74	0.97	1.31
Thimbleberry (Rubus parviflorus) OR, 1-0, 6-12" (50)	1,000	0.63	0.68	0.91	1.25
Thimbleberry (Rubus parviflorus) WW, 1-0, 12"+ (50)	99,450	0.60	0.74	0.97	1.31
Thimbleberry (Rubus parviflorus) WW, 1-0, 6-12" (50)	25,950	0.63	0.68	0.91	1.25
Twinberry (Lonicera involucrata) WW, 1-0, 12"+ (50)	47,850	0.68	0.74	0.97	1.31
Twinberry (Lonicera involucrata) WW, 1-0, 6-12" (50)	4,350	0.63	0.68	0.91	1.25
Viburnum, American Cranberry (Viburnum opulus americanum) WW, 1-0, 6-12" (50)	9,000	0.68	0.74	0.97	1.31

<b>EASTERN WASHINGTON WILLOWS (bundles of 100) - longer lengths available</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) EW, 36" cutting	6,800	0.68	0.74	0.85	N/A
Dogwood, Red Osier (Cornus sericea, C. stolonifera) EW, 36" cutting	10,000	0.68	0.74	0.85	N/A
Willow, Coyote (Salix exigua) EW, 36" cutting	22,000	0.68	0.74	0.85	N/A
Willow, Drummond (Salix drummondiana) EW, 36" cutting	14,000	0.68	0.74	0.85	N/A
Willow, MacKenzie (Salix prolixa, S rigida mackenzieana) EW, 36" cutting	33,900	0.68	0.74	0.85	N/A
Willow, Pacific (Salix lucida ssp. lasiandra) EW, 36" cutting	19,000	0.68	0.74	0.85	N/A
Willow, Peachleaf (Salix amygdaloides) EW, 36" cutting	9,800	0.68	0.74	0.85	N/A
Willow, Yellow (Salix lutea) Lincoln County, 36" cutting	800	0.68	0.74	0.85	N/A

<b>WESTERN WASHINGTON WILLOWS (bundles of 100) - longer lengths available</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) Skagit WW, 36" cutting	8,600	0.68	0.74	0.85	N/A
Cottonwood, Black (Populus balsamifera ssp. trichocarpa) Thurston WW, 36" cutting	20,000	0.68	0.74	0.85	N/A
Dogwood, Red Osier (Cornus sericea, C. stolonifera) WW, 36" cutting	18,000	0.68	0.74	0.85	N/A
Twinberry (Lonicera involucrata) WW, 36" cutting	2,800	0.68	0.74	0.85	N/A
Willow, Hooker (Salix hookeriana) WW, 36" cutting	51,800	0.68	0.74	0.85	N/A
Willow, Pacific (Salix lucida ssp. lasiandra) WW, 36" cutting	13,600	0.68	0.74	0.85	N/A
Willow, Scouler (Salix scouleriana) WW, 36" cutting	16,500	0.68	0.74	0.85	N/A
Willow, Sitka (Salix sitchensis) WW, 36" cutting	33,700	0.68	0.74	0.85	N/A

<b>CONIFERS</b>	<b>Available</b>	<b>1000+</b>	<b>500+</b>	<b>100+</b>	<b>&lt;100</b>
Alaska Yellow Cedar ( <i>Chamaecyparis nootkatensis</i> [Callitropsis]) BC, P-1, 12" (25)	8,400	0.79	0.85	1.02	1.25
Colorado Blue Spruce ( <i>Picea pungens</i> ) CO, 2-0, 12"+ (25)	975	0.37	0.43	0.57	0.74
Colorado Blue Spruce ( <i>Picea pungens</i> ) CO, 2-0, 6-12" (25)	4,300	0.32	0.37	0.52	0.68
Concolor Fir ( <i>Abies concolor</i> ) CO, 2-0, 12+" (25)	500	0.37	0.43	0.57	0.74
Concolor Fir ( <i>Abies concolor</i> ) CO, 2-0, 6-12" (25)	850	0.32	0.37	0.52	0.68
Douglas Fir ( <i>Pseudotsuga menziesii</i> ) 412-1.5, 2-0, 12"+ (25)	15,050	0.37	0.43	0.57	0.74
Douglas Fir ( <i>Pseudotsuga menziesii</i> ) 440-1.0, 2-0, 12"+ (25)	19,600	0.37	0.43	0.57	0.74
Grand Fir ( <i>Abies grandis</i> ) BC, 2-0, 12"+ (25)	1,550	0.37	0.43	0.57	0.74
Western Hemlock ( <i>Tsuga heterophylla</i> ) 401-2.0, P-1, 12"+ (25)	7,700	0.63	0.68	0.85	1.08
Western Hemlock ( <i>Tsuga heterophylla</i> ) 422-1.0, (F) P-1, 12"+ (25)	100	0.63	0.68	0.85	1.08
Western Hemlock ( <i>Tsuga heterophylla</i> ) R08217, P-1, 12"+ (25)	2,200	0.63	0.68	0.85	1.08
Noble Fir ( <i>Abies procera</i> ) 412-3.5, P-1. 6-12" (25)	1,500	0.57	0.63	0.79	1.02
Ponderosa Pine ( <i>Pinus ponderosa</i> ) 830-2.35, 2-0, 12"+ (25)	41,000	0.37	0.43	0.57	0.74
Ponderosa Pine ( <i>Pinus ponderosa</i> ) 830-2.35, 2-0, 6-12" (25)	1,950	0.32	0.37	0.52	0.68
Scots Pine ( <i>Pinus sylvestris</i> ) 2-0, 12"+ (25)	4,500	0.37	0.43	0.57	0.74
Scots Pine ( <i>Pinus sylvestris</i> ) 2-0, 6-12" (25)	3,000	0.32	0.37	0.52	0.68
Shore Pine ( <i>Pinus contorta</i> v <i>contorta</i> ) 221-0.5, 2-0, 12"+ (25)	1,700	0.37	0.43	0.57	0.74
Sitka Spruce ( <i>Picea sitchensis</i> ) 012-1.0, 2-0, 12"+ (25)	350	0.37	0.43	0.57	0.74
Sitka Spruce ( <i>Picea sitchensis</i> ) 422-1.5, 2-0, 12"+ (25)	17,700	0.37	0.43	0.57	0.74
Western Red Cedar ( <i>Thuja plicata</i> ) 201-0.5, P-1, 12"+ (25) (S)	19,300	0.63	0.68	0.85	1.08
Western Red Cedar ( <i>Thuja plicata</i> ) 231-0.5, P-1, 12"+ (25)	100	0.63	0.68	0.85	1.08
Western Red Cedar ( <i>Thuja plicata</i> ) 403-1.0, P-1, 12"+ (25) (FR)	750	0.63	0.68	0.85	1.08
Western Red Cedar ( <i>Thuja plicata</i> ) 403-0.5, P-1, 12"+ (25) (S)	1,200	0.63	0.68	0.85	1.08
Western Larch ( <i>Larix occidentalis</i> ) 830-2.5, P-1, 12"+ (25)	4,600	0.63	0.68	0.85	1.08
B-Evergreen Huckleberry ( <i>Vaccinium ovatum</i> ) 77p (N-10)	50	2.17	2.82	3.67	4.95

## **WACD Plant Materials Center**

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

July 27, 2017

**NEW - pmcsales@gmx.com**

### **Seed Source**

012 - Western Jefferson / Clallam Counties  
030 - Grays Harbor County  
042 - Clark County / Portland  
053 - Northwest Oregon Coast  
201 - Western Whatcom County  
202 - Western Skagit/Snohomish County  
221 - Eastern Jefferson / Clallam County  
231 - Mason / South Kitsap Counties  
401 - Whatcom County foothills  
402 - Eastern Whatcom/Skagit Counties  
403 - Eastern Skagit County  
412 - King County  
422 - SE Pierce County  
440 - Cowlitz/W Skamania Counties  
612 - NE Okanogan County  
652 - E Skamania County  
830 - Spokane County  
BC - SW British Columbia, Canada  
Moscow - Moscow, Idaho  
R08217 - Whatcom/Skagit/Snohomish orchard

### **Elevation**

0.5 - 0-500' Elevation  
1.0 - 500-1,000' Elevation  
1.5 - 1,000-1,500 Elevation  
2.0 - 1,500-2,000' Elevation  
3.5 - 3,000-3,500' Elevation  
5.0 - 4,500-5,000' Elevation

Seed Zone Map - [http://www.dnr.wa.gov/Publications/lm\\_wfn\\_seedzone\\_book.pdf](http://www.dnr.wa.gov/Publications/lm_wfn_seedzone_book.pdf)