

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018

pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Alder, Red (<i>Alnus rubra</i>) OR, 1-0, 12"+ (50)	6,500	0.63	0.68	0.91	1.25
Alder, Red (<i>Alnus rubra</i>) OR, 1-0, 6-12" (50)	14,000	0.57	0.63	0.85	1.19
Alder, Red (<i>Alnus rubra</i>) WW, 1-0, 12"+ (50)	32,150	0.63	0.68	0.91	1.25
Alder, Red (<i>Alnus rubra</i>) WW, 1-0, 6-12" (50)	37,150	0.57	0.63	0.85	1.19
Alder, Sitka (<i>Alnus viridis</i> ssp <i>sinuata</i>) OR, 2-0, 18"+ (10)	4,020	0.91	1.02	1.08	1.47
Alder, Sitka (<i>Alnus viridis</i> ssp <i>sinuata</i>) OR, 2-0, 6-18" (10)	1,190	0.85	0.97	1.02	1.42
Alder, White (<i>Alnus rhombifolia</i>) OR, 2-0, 18"+ (10)	1,590	0.91	1.02	1.08	1.47
Aspen, Quaking (<i>Populus tremuloides</i>) EW, 1-0, 6-12" (50)	2,750	0.63	0.68	0.91	1.25
Birch, Paper (<i>Betula papyrifera</i>) WW, 2-0, 18"+ (10)	29,310	0.91	1.02	1.08	1.47
Birch, Paper (<i>Betula papyrifera</i>) WW, 2-0, 6-18" (10)	550	0.85	0.97	1.02	1.42
Blackberry, Trailing (<i>Rubus ursinus</i>) WW, 1-0, 6"+ (50)	14,800	0.68	0.74	0.97	1.31
Buffaloberry, Russet (<i>Shepherdia canadensis</i>) EW, 1-0, 12"+ (50)	1,150	0.74	0.79	1.02	1.36
Buffaloberry, Russet (<i>Shepherdia canadensis</i>) EW, 1-0, 6-12" (50)	750	0.68	0.74	0.97	1.31
Buffaloberry, Silver (<i>Shepherdia argentea</i>) EW, 2-0, 12"+ (10)	2,920	0.91	1.02	1.08	1.47
Buffaloberry, Silver (<i>Shepherdia argentea</i>) EW, 2-0, 6-12" (10)	1,240	0.85	0.97	1.02	1.42
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) OR, 1-0, 12"+ (50)	2,500	0.68	0.74	0.97	1.31
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) OR, 1-0, 6-12" (50)	200	0.63	0.68	0.91	1.25
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) WW, 1-0, 12"+ (50)	23,425	0.68	0.74	0.97	1.31
Cascara (<i>Rhamnus</i> [<i>Frangula</i>] <i>purshiana</i>) WW, 2-0, 18"+ (10)	11,360	0.91	1.02	1.08	1.47
Ceanothus, Red Stem (<i>Ceanothus sanguineus</i>) EW, 1-0, 12"+ (50)	7,920	0.68	0.74	0.97	1.31
Ceanothus, Red Stem (<i>Ceanothus sanguineus</i>) EW, 1-0, 6-12" (50)	100	0.63	0.68	0.91	1.25
Ceanothus, Red Stem (<i>Ceanothus sanguineus</i>) EW, 2-0, 18"+ (10)	1,240	0.91	1.02	1.08	1.47
Cherry, Bitter (<i>Prunus emarginata</i>) WW, 1-0, 12"+ (10)	15	0.68	0.74	0.97	1.31
Chokecherry (<i>Prunus virginiana</i>) EW, 1-0, 12"+ (50)	7,650	0.68	0.74	0.97	1.31
Chokecherry (<i>Prunus virginiana</i>) EW, 1-0, 6-12" (50)	3,590	0.63	0.68	0.91	1.25
Chokecherry (<i>Prunus virginiana</i>) WW, 1-0, 12"+ (50)	1,700	0.68	0.74	0.97	1.31
Crabapple, Pacific (<i>Malus fusca</i>) OR, 1-0, 12"+ (50)	6,500	0.68	0.74	0.97	1.31
Crabapple, Pacific (<i>Malus fusca</i>) OR, 1-0, 6-12" (50)	6,400	0.63	0.68	0.91	1.25
Crabapple, Pacific (<i>Malus fusca</i>) WW, 1-0, 12"+ (50)	73,650	0.68	0.74	0.97	1.31
Crabapple, Pacific (<i>Malus fusca</i>) WW, 1-0, 6-12" (50)	8,150	0.63	0.68	0.91	1.25
Currant, Golden (<i>Ribes aureum</i>) EW, 1-0, 12"+ (50)	23,450	0.74	0.79	1.02	1.36
Currant, Golden (<i>Ribes aureum</i>) EW, 1-0, 6-12" (50)	11,200	0.68	0.74	0.97	1.31
Currant, Golden (<i>Ribes aureum</i>) OR, 1-0, 12"+ (50)	23,500	0.74	0.79	1.02	1.36

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018

pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Currant, Golden (<i>Ribes aureum</i>) OR, 1-0, 6-12" (50)	3,200	0.68	0.74	0.97	1.31
Currant, Red Flowering (<i>Ribes sanguineum</i>) WW, 1-0, 12"+ (50)	76,045	0.68	0.74	0.97	1.31
Currant, Red Flowering (<i>Ribes sanguineum</i>) WW, 1-0, 6-12" (50)	10,050	0.63	0.68	0.91	1.25
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 1-0, 12"+ (50)	10,650	0.68	0.74	0.97	1.31
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 1-0, 6-12" (50)	1,700	0.63	0.68	0.91	1.25
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) OR, 1-0, 12"+ (50)	13,700	0.68	0.74	0.97	1.31
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 12"+ (50)	8,500	0.68	0.74	0.97	1.31
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 1-0, 6-12" (50)	2,550	0.63	0.68	0.91	1.25
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) EW, 1-0, 12"+ (50)	4,300	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) EW, 1-0, 6-12" (50)	300	0.63	0.68	0.91	1.25
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) EW, 1-0, crowns (50)	600	0.57	0.63	0.85	1.19
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) OR, 1-0, 12"+ (50)	10,850	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) OR, 1-0, crowns (50)	350	0.57	0.63	0.85	1.19
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) WW, 1-0, 12"+ (50)	25,800	0.68	0.74	0.97	1.31
Elderberry, Blue (<i>Sambucus nigra</i> ssp <i>cerulea</i>) WW, 1-0, crowns (50)	7,250	0.57	0.63	0.85	1.19
Elderberry, Red (<i>Sambucus racemosa</i>) OR, 1-0, 12"+ (50)	9,900	0.68	0.74	0.97	1.31
Elderberry, Red (<i>Sambucus racemosa</i>) OR, 1-0, 6-12" (50)	2,990	0.63	0.68	0.91	1.25
Elderberry, Red (<i>Sambucus racemosa</i>) OR, 1-0, crowns, (50)	8,900	0.57	0.63	0.85	1.19
Elderberry, Red (<i>Sambucus racemosa</i>) WW, 1-0, 12"+ (50)	16,250	0.68	0.74	0.97	1.31
Elderberry, Red (<i>Sambucus racemosa</i>) WW, 1-0, 6-12" (50)	4,750	0.63	0.68	0.91	1.25
Elderberry, Red (<i>Sambucus racemosa</i>) WW, 1-0, crowns, (50)	20,000	0.57	0.63	0.85	1.19
Hackberry, Netleaf (<i>Celtis laevigata</i> var. <i>reticulata</i>) OR, 1-0, 12"+ (50)	645	0.74	0.79	1.02	1.36
Hackberry, Netleaf (<i>Celtis laevigata</i> var <i>reticulata</i>) OR, 1-0, 6-12" (50)	465	0.68	0.74	0.97	1.31
Hawthorn, Black (<i>Crataegus douglasii</i>) OR, 1-0, 12"+ (50)	4,450	0.68	0.74	0.97	1.31
Hawthorn, Black (<i>Crataegus douglasii</i>) OR, 1-0, 6-12" (50)	700	0.63	0.68	0.91	1.25
Hawthorn, Black (<i>Crataegus douglasii</i>) WW, 1-0, 12"+ (50)	13,150	0.68	0.74	0.97	1.31
Hawthorn, Black (<i>Crataegus douglasii</i>) WW, 1-0, 6-12" (50)	1,350	0.63	0.68	0.91	1.25
Indian Plum (<i>Oemleria cerasiformis</i>) OR, 1-0, 6-12" (50)	750	0.63	0.68	0.91	1.25
Indian Plum (<i>Oemleria cerasiformis</i>) WW, 1-0, 12+ (50)	45,450	0.68	0.74	0.97	1.31
Indian Plum (<i>Oemleria cerasiformis</i>) WW, 1-0, 6-12" (50)	9,850	0.63	0.68	0.91	1.25
Maple, Big Leaf (<i>Acer macrophyllum</i>) WW, 1-0, 18"+ (10)	14,430	0.74	0.79	1.02	1.36
Maple, Rocky Mt. (<i>Acer glabrum</i>) OR, 1-0, 6-12" (50)	350	0.63	0.68	0.91	1.25
Maple, Rocky Mt. (<i>Acer glabrum</i>) WW, 1-0, 12"+ (50)	1,900	0.68	0.74	0.97	1.31

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018

pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Maple, Rocky Mt. (<i>Acer glabrum</i>) WW, 1-0, 6-12" (50)	1,380	0.63	0.68	0.91	1.25
Maple, Vine (<i>Acer circinatum</i>) WW, 1-0, 6-12" (50)	100	0.63	0.68	0.91	1.25
Maple, Vine (<i>Acer circinatum</i>) OR, 2-0, 3-6" (10)	450	0.80	0.92	0.97	1.37
Mock Orange (<i>Philadelphus lewisii</i>) EW, 2-0, 12"+ (10)	11,550	0.91	1.02	1.08	1.47
Mock Orange (<i>Philadelphus lewisii</i>) EW, 2-0, 6-12" (10)	4,650	0.85	0.97	1.02	1.42
Mock Orange (<i>Philadelphus lewisii</i>) OR, 2-0, 12"+ (10)	6,500	0.91	1.02	1.08	1.47
Mock Orange (<i>Philadelphus lewisii</i>) OR, 2-0, 6-12" (10)	10,290	0.85	0.97	1.02	1.42
Mock Orange (<i>Philadelphus lewisii</i>) WW, 2-0, 6-12" (10)	4,270	0.85	0.97	1.02	1.42
Ninebark, Pacific (<i>Physocarpus capitatus</i>) WW, 1-0, 12"+ (50)	77,850	0.68	0.74	0.97	1.31
Ninebark, Pacific (<i>Physocarpus capitatus</i>) WW, 1-0, 6-12" (50)	14,350	0.63	0.68	0.91	1.25
Oak, Oregon White (<i>Quercus garryana</i>) OR, 2-0, 6-12" (10)	740	0.85	0.97	1.02	1.42
Oak, Oregon White (<i>Quercus garryana</i>) WW, 2-0, 6-12" (10)	3,500	0.85	0.97	1.02	1.42
Oregon Ash (<i>Fraxinus latifolia</i>) OR 1-0, 12"+ (50)	11,750	0.68	0.74	0.97	1.31
Oregon Ash (<i>Fraxinus latifolia</i>) OR, 1-0, 6-12" (50)	1,500	0.63	0.68	0.91	1.25
Oregon Ash (<i>Fraxinus latifolia</i>) WW 1-0, 12"+ (50)	3,650	0.68	0.74	0.97	1.31
Oregon Ash (<i>Fraxinus latifolia</i>) WW, 1-0, 6-12" (50)	1,600	0.63	0.68	0.91	1.25
Oregon Ash (<i>Fraxinus latifolia</i>) OR, 2-0, 18"+ (10)	6,960	0.91	1.02	1.08	1.47
Oregon Ash (<i>Fraxinus latifolia</i>) WW, 2-0, 18"+ (10)	2,760	0.91	1.03	1.08	1.47
Oregon Ash (<i>Fraxinus latifolia</i>) WW, 2-0, 6-18" (10)	1,080	0.85	0.97	1.02	1.42
Oregon Grape, Low (<i>Mahonia nervosa</i>) WW, 1-0, 6"+ (50)	23	0.74	0.79	1.02	1.36
Oregon Grape, Low (<i>Mahonia nervosa</i>) WW, 1-0, 3-6" (50)	6,650	0.68	0.74	0.97	1.31
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW 1-0, 12"+ (50)	950	0.68	0.74	0.97	1.31
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW, 1-0, 6-12" (50)	1,250	0.63	0.68	0.91	1.25
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 1-0, 3-6" (25)	2,675	0.58	0.63	0.84	1.13
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW, 2-0, 12"+ (10)	30	0.91	1.02	1.08	1.47
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) EW, 2-0, 6-12" (10)	30	0.85	0.97	1.02	1.42
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 2-0, 12"+ (10)	17,030	0.91	1.02	1.08	1.47
Oregon Grape, Tall (<i>Mahonia aquifolium</i>) WW, 2-0, 6-12" (10)	1,990	0.85	0.97	1.02	1.42
Rose, Baldhip (<i>Rosa gymnocarpa</i>) WW, 1-0, 12"+ (50)	18,000	0.74	0.79	1.02	1.36
Rose, Baldhip (<i>Rosa gymnocarpa</i>) WW, 1-0, 6-12" (50)	2,900	0.68	0.74	0.97	1.31
Rose, Nootka (<i>Rosa nutkana</i>) OR, 1-0, 6-12" (50)	450	0.63	0.68	0.91	1.25
Rose, Peafruit (<i>Rosa pisocarpa</i>) OR, 1-0, 12"+ (50)	11,900	0.68	0.74	0.97	1.31
Rose, Peafruit (<i>Rosa pisocarpa</i>) WW, 1-0, 12"+ (50)	37,700	0.68	0.74	0.97	1.31

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018

pmcsales@gmx.com

HARDWOOD AND SHRUBS	Available	1000+	500+	100+	<100
Rose, Peafruit (<i>Rosa pisocarpa</i>) WW, 1-0, 6-12", (50)	9,650	0.63	0.68	0.91	1.25
Rose, Woods (<i>Rosa woodsii</i>) EW, 1-0, 12"+ (50)	36,800	0.68	0.74	0.97	1.31
Rose, Woods (<i>Rosa woodsii</i>) EW, 1-0, 6-12" (50)	2,550	0.63	0.68	0.91	1.25
Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 12"+ (50)	1,298	0.68	0.74	0.97	1.31
Salmonberry (<i>Rubus spectabilis</i>) OR, 1-0, 6-12" (50)	15,500	0.63	0.68	0.91	1.25
Salmonberry (<i>Rubus spectabilis</i>) WW, 1-0, 6-12" (50)	5,500	0.63	0.68	0.91	1.25
Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 12"+ (50)	13,800	0.68	0.74	0.97	1.31
Serviceberry (<i>Amelanchier alnifolia</i>) EW, 1-0, 6-12" (50)	900	0.63	0.68	0.91	1.25
Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 12"+ (50)	5,350	0.68	0.74	0.97	1.31
Serviceberry (<i>Amelanchier alnifolia</i>) OR, 1-0, 6-12" (50)	8,050	0.63	0.68	0.91	1.25
Serviceberry (<i>Amelanchier alnifolia</i>) WW, 1-0, 12"+ (50)	71,400	0.68	0.74	0.97	1.31
Serviceberry (<i>Amelanchier alnifolia</i>) WW, 1-0, 6-12" (50)	32,000	0.63	0.68	0.91	1.25
Silk Tassel (<i>Garrya elliptica</i>) OR, 1-0, 12"+ (50)	450	0.68	0.74	0.97	1.31
Spirea, Douglas (<i>Spiraea douglasii</i>) WW, 2-0, 18"+ (10)	4,800	0.91	1.02	1.08	1.47
Spirea, Douglas (<i>Spiraea douglasii</i>) WW, 2-0, 6-18" (10)	1,440	0.85	0.97	1.02	1.42
Thimbleberry (<i>Rubus parviflorus</i>) OR, 1-0, 12"+ (50)	15,000	0.68	0.74	0.97	1.31
Thimbleberry (<i>Rubus parviflorus</i>) OR, 1-0, 6-12" (50)	2,200	0.63	0.68	0.91	1.25
Thimbleberry (<i>Rubus parviflorus</i>) WW, 1-0, 12"+ (50)	10,950	0.68	0.74	0.97	1.31
Thimbleberry (<i>Rubus parviflorus</i>) WW, 1-0, 6-12" (50)	24,050	0.63	0.68	0.91	1.25
Twinberry (<i>Lonicera involucrata</i>) WW, 1-0, 12"+ (50)	31,250	0.68	0.74	0.97	1.31
Twinberry (<i>Lonicera involucrata</i>) WW, 1-0, 6-12" (50)	1,900	0.63	0.68	0.91	1.25

EASTERN WASHINGTON WILLOWS (bundles of 100)	Available	1000+	500+	100+	<100
Cottonwood, Black (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) EW, 36" cutting	2,300	0.68	0.74	0.85	N/A
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) EW, 36" cutting	7,490	0.68	0.74	0.85	N/A
Willow, Coyote (<i>Salix exigua</i>) EW, 36" cutting	2,000	0.68	0.74	0.85	N/A
Willow, Drummond (<i>Salix drummondiana</i>) EW, 36" cutting	11,000	0.68	0.74	0.85	N/A
Willow, MacKenzie (<i>Salix prolixa</i> , <i>S rigida mackenzieana</i>) EW, 36" cutting	30,000	0.68	0.74	0.85	N/A
Willow, Pacific (<i>Salix lucida</i> ssp. <i>lasiandra</i>) EW, 36" cutting	3,015	0.68	0.74	0.85	N/A
Willow, Peachleaf (<i>Salix amygdaloides</i>) EW, 36" cutting	8,300	0.68	0.74	0.85	N/A
Willow, Yellow (<i>Salix lutea</i>) Lincoln County, 36" cutting	800	0.68	0.74	0.85	N/A

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018

pmcsales@gmx.com

WESTERN WASHINGTON WILLOWS (bundles of 100)	Available	1000+	500+	100+	<100
Cottonwood, Black (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) Skagit WW, 36" cutting	4,100	0.68	0.74	0.85	N/A
Cottonwood, Black (<i>Populus balsamifera</i> ssp. <i>trichocarpa</i>) Thurston WW, 36" cutting	14,000	0.68	0.74	0.85	N/A
Dogwood, Red Osier (<i>Cornus sericea</i> , <i>C. stolonifera</i>) WW, 36" cutting	3,400	0.68	0.74	0.85	N/A
Spiraea, Douglas (<i>Spiraea douglasii</i>) WW, 36" cutting	578	0.68	0.74	0.85	N/A
Willow, Hooker (<i>Salix hookeriana</i>) WW, 36" cutting	700	0.68	0.74	0.85	N/A

CONIFERS	Available	1000+	500+	100+	<100
Colorado Blue Spruce (<i>Picea pungens</i>) CO, 2-0, 6-12" (25)	2,842	0.32	0.37	0.52	0.68
Concolor Fir (<i>Abies concolor</i>) CO, 2-0, 12+" (25)	310	0.37	0.43	0.57	0.74
Concolor Fir (<i>Abies concolor</i>) CO, 2-0, 6-12" (25)	800	0.32	0.37	0.52	0.68
Douglas Fir (<i>Pseudotsuga menziesii</i>) 201/202-0.853 2-0, 6-12" (25)	200	0.32	0.37	0.52	0.68
Douglas Fir (<i>Pseudotsuga menziesii</i>) 412-1.5, 2-0, 6-12" (25)	350	0.32	0.37	0.52	0.68
Western Hemlock (<i>Tsuga heterophylla</i>) 401-2.0, P-1, 6-12" (25)	400	0.57	0.63	0.79	1.02
Western Hemlock (<i>Tsuga heterophylla</i>) 422-1.5, (S) P-1, 6-12"+ (25)	200	0.57	0.63	0.79	1.02
Western Hemlock (<i>Tsuga heterophylla</i>) R08217, P-1, 6-12" (25)	62	0.57	0.63	0.79	1.02
Ponderosa Pine (<i>Pinus ponderosa</i>) 830-2.35, 2-0, 12+" (25)	20,000	0.37	0.43	0.57	0.74
Port Orford Cedar (<i>Chamaecyparis lawsoniana</i>) 042-0.5, 2-0, 12+" (25)	20	0.37	0.43	0.57	0.74
Port Orford Cedar (<i>Chamaecyparis lawsoniana</i>) 042-0.5, 2-0, 6-12" (25)	660	0.32	0.37	0.52	0.68
Scots Pine (<i>Pinus sylvestris</i>) 2-0, 6-12" (25)	5,150	0.32	0.37	0.52	0.68
Shore Pine (<i>Pinus contorta</i> v <i>contorta</i>) 221-0.5, 2-0, 6-12" (25)	1,300	0.32	0.37	0.52	0.68
Sitka Spruce (<i>Picea sitchensis</i>) 012-1.0, 2-0, 6-12" (25)	300	0.32	0.37	0.52	0.68
Sitka Spruce (<i>Picea sitchensis</i>) 422-1.5, 2-0, 6-12" (25)	1,000	0.32	0.37	0.52	0.68
Sitka Spruce (<i>Picea sitchensis</i>) BC, 2-0, 6-12" (25)	800	0.32	0.37	0.52	0.68

PLUGS	Available	1000+	500+	100+	<100
B-Deer Fern (<i>Blechnum spicant</i>) 72p (N)	25	1.37	1.78	2.32	3.13
B-Evergreen Huckleberry (<i>Vaccinium ovatum</i>) 77p (N-10)	10	2.17	2.82	3.67	4.95

WACD Plant Materials Center

Phone: 360-757-1094

Bareroot Plants Availability - December 2017 - April 2018

March 7, 2018
pmcsales@gmx.com

Seed Source

012 - Western Jefferson / Clallam Counties

030 - Grays Harbor County

042 - Clark County / Portland

053 - Northwest Oregon Coast

201 - Western Whatcom County

202 - Western Skagit/Snohomish County

221 - Eastern Jefferson / Clallam County

231 - Mason / South Kitsap Counties

401 - Whatcom County foothills

402 - Eastern Whatcom/Skagit Counties

403 - Eastern Skagit County

412 - King County

422 - SE Pierce County

440 - Cowlitz/W Skamania Counties

612 - NE Okanogan County

830 - Spokane County

BC - SW British Columbia, Canada

Moscow - Moscow, Idaho

R08217 - Whatcom/Skagit/Snohomish orchard

Elevation

0.5 - 0-500' Elevation

1.0 - 500-1,000' Elevation

1.5 - 1,000-1,500' Elevation

2.0 - 1,500-2,000' Elevation

3.5 - 3,000-3,500' Elevation

5.0 - 4,500-5,000' Elevation

Seed Zone Map - http://www.dnr.wa.gov/Publications/lm_wfn_seedzone_book.pdf